



# AXCELLA A9 5W-40

Premium performance full synthetic engine oil

---

## Product Overview

AXCELLA A9 SAE 5W-40 is a full synthetic lubricant for ultimate engine protection and performance. Ideal for modern and sports cars with engines that run faster and hotter in order to achieve maximum power, fuel economy and reduced emissions. Also suitable for all turbocharged passenger car engines that run on diesel and gasoline fuels.

---

## Benefits

- Enhanced thermal and oxidation stability
- Extended drain and low oil consumption
- Enhanced frictional properties for improved fuel economy and increased power
- Excellent low temperature properties
- High viscosity index and shear stability

---

## Applications

- Recommended for use in all vehicles including high performance, turbo-charged gasoline and diesel passenger cars fitted with advanced computer controlled multi-valve fuel injection engines
- Suitable for automobiles, light trucks and vans operating in driving conditions requiring a high level of performance

## Health and Safety

This lubricant is unlikely to produce any significant health or safety hazard when used in the application it has been designed for and according to the recommendations provided in the Material Safety Data Sheet. MSDS are available upon request through your sales advisor.

When disposing of used oil, please observe all current regulations and protect the environment.

**AXCELLA A9 5W-40**

**Meets or exceeds the following industry Specifications**

API SN/SM/CF	✓
ACEA A3/B3/B4	✓
MB 229.5	✓
VW 502 00/505 00	✓
GM-LL-B-025	✓
BMW LL-01	✓
Porsche A40	✓
PSA B71 2296	✓
Renault RN 710/700	✓

**Typical properties** **5W-40**

Test parameters	Method	
Viscosity @ 40 °C, cSt	ASTM D 445	84
Viscosity @ 100 °C, cSt	ASTM D 445	14.2
Viscosity Index	ASTM D 2270	176
Flash Point, °C	ASTM D 92	220
Pour Point, °C	ASTM D 97	-39
Density @ 15 °C, Kg/l	ASTM D 4052	0.855
TBN, mg KOH/g	ASTM D 2896	10.5

Above characteristics are mean values given as information. They do not constitute a specification.